Mini-Medical School



Perineum wash 會陰沖洗(英文)

Perineum wash

- 1. Advantage
 - (1) helps clean other private parts, remove peculiar smell, promote comfort, and prevent infection;
 - (2) Helps promote wound healing;
 - (3) Carefully self-observe lochia changes and vaginal secretions after surgery.
- 2. Timing for executing perineum wash
 - (1) within 6 hours after the childbirth; once urinate, execute perineum flush immediately;
 - (2) after the childbirth; once urinate, execute perineum flush immediately;
 - (3) During patients' hospitalization, our medical staff carrys out perineum flushing to observe the condition of patients' wound.
- 3. Items necessary for the procedure
 - (1) Wash pot.
 - (2) 41-43 °C warm water.
 - (3) Clean diaper or under pad.
 - (4) Bedpan.
 - (5) several packs of cotton bar.



- 1. Wash hands.
- 2. To protect patients' privacy, have them lie down facing up and knees bend up to their chest.
- 3. Put some warm water in the wash pot.
- 4. To prevent wet sheets, place a buttock cushion, diaper, or bedpan underneath the patient.
- 5. Hold the wash pot in one hand and cotton bars in another hand; wash the private part slightly above the perineum with warm water. Separate the labia and clean urethra and vagina area.

若有任何疑問,請不吝與我們聯絡 電話:(04)22052121 分機 3207

HE-10045-E